


Table of Contents

General Information	Page
Ordering Information	2
Product Information.....	3
Finishes and Steel Coatings	3
Terms and Conditions of Sale.....	4
Perma-Lock Component Order Guide and Pricing.....	5 - 11
Fasteners	12

Component Index	Page
Butyl Mastic Tape (#926)	11
Chimney, Top Saddle (#37).....	6
Closures, Polyethylene (#925)	11
Eave, No Hook (40 - 42).....	7
Eave, With Drip (#47 - 49).....	8
Eave, With Hook (#44 - 46).....	7
Endwall (#80 - 81)	10
Fasteners	12
Flatstock (#9, 10)	5
Gable, Old Style (#60 - 63).....	9
Gable, Standard (#50 - 52)	8
Joggle Cleat (#919).....	11
Nosing (#84 - 87).....	11
Paint (#923).....	11
Panels (#8).....	5
Ridge / Hip Cap (#90, 91)	11
Sidewall (#72, 73, 76, 77)	9
Skylight, Top Saddle (#36)	6
Termination Strip (#20).....	5
Tools, Benders (#911, 912).....	11
Transition, Elbow (#30, 31).....	6
Transition, Knee (#32, 33).....	6
Valley (#27)	5
Ventilation Strip (#918).....	11
"Z" Closure (#22).....	5

Note: “” indicates the painted side of the component.

Ordering Information

To ensure timeliness and accuracy, please be sure to include the following information with your order:

- Your company name as established on your account
- A Purchase Order number or job reference (No verbal orders, please. Customer is responsible for any errors with verbal orders and instructions.)
- Complete shipping information: Address, directions, contact information and telephone number, special instructions for crating, etc.
- Information for off-loading materials at the destination
- Preliminary lien, joint check, or joint check information, when necessary
- Please prepare your order using the part numbers shown in this ordering guide. Be sure to include:
 - Complete cut list, beginning with the longest length
 - Panel profile name, color, gauge, and paint grade
 - Fasteners, trim components, underlayments, closures, sealants, etc.
- To help ensure a complete order, Summit Pacific Metal Sales has order forms for Perma-Lock Standing Seam roofing available for your convenience.
- Please call Summit Pacific Metal Sales to confirm orders sent via FAX have been received.
- Custom trim accessories, crickets, chimney chase caps, beam caps, and specialized wall and roof flashings are available from Summit Pacific Metal Sales. Please contact your sales representative for availability and quotations.
- Shaded part numbers indicate the item is generally available for immediate delivery; please note, however, certain conditions beyond our control may delay availability or delivery with these and other items. If the product is not readily available, please ask about lead times.

Product Information

Panel Lengths: Maximum standard panel length is 30'-0", minimum standard length is 4'-0". Panel lengths are available in longer and shorter lengths but will be subject to additional charges. Please contact your Summit Pacific Metal Sales representative for further information.

Trim Lengths: Trim components lengths are 10'.

Specifications: Product specifications and availability are subject to change at any time. All dimensions are nominal and are subject to industry tolerances. Steel gauges are per AISI Standards.

Installation: The designer/architect and installer are responsible for determining the suitability and installation criteria of these products. Summit Pacific Metal Sales has the Perma-Lock Installation and Details Guide, as well as Guide Specifications (per CSI format), to assist in applications. Consult these guides for further information.

Finishes and Coatings

Base Steel: The base steel of all Kynar-500/Hylar-5000 finished products is a Grade D or AZ50 steel, 50,000 psi yield. SMP finished products are made with Grade C steel. The base steel is protected with a G-90 galvanized, Zinalume,[®] or a Galvalume[®] coated steel.

Kynar-500/Hylar-5000 Finishes: Kynar-500 / Hylar-5000 finished products provide the best, long-term color durability. Limited warranties for up to thirty (30) years are available for Kynar-500 / Hylar-5000 finished roofing products and are subject to certain criteria and approval. (See below)

Endura-20: Endura-20 finished products provide an economical finish up to designed for approximately twenty to twenty-five years or more of service life. Limited warranties for up to twenty (20) years are available for Endura-20 finished roofing products and are subject to certain criteria and approval. (See below)

Backer Coat: Panels have a factory applied "wash coat" or "finish coat" on the underside. The color of this underside coating may vary. There is no warranty associated with this coating.

Warranties: Paint finish warranties are available for the above paint finishes, but each project is subject to approval due to certain site and environmental conditions. To make certain of a project's eligibility for a warranty, complete the Warranty Request Form available from Summit Pacific Metal Sales prior to ordering materials.

Terms and Conditions Of Sale







1. **Pricing:** Unless otherwise agreed in writing, all products are priced F.O.B. Summit Pacific Metal Sales. Freight charges will be added to quoted prices. Unless Summit Pacific Metal Sales has a valid re-sale certificate on file, all sales are subject to applicable sales tax.
2. **Payment:** 50% down before fabrication, with balance due prior to loading or delivery, unless credit has been established with Summit Pacific Metal Sales. All late payments are subject to a late charge of one and one-half percent (1-1/2%) per month, or the highest rate allowed by law.
3. **Fabrication Time:** Standard lead time for stock materials is 4 to 7 business days. Some products may be available immediately. Ordering products from the shaded boxes will expedite fabrication and availability.
4. **Cancellations:** Cancellation of orders will not be accepted after manufacturing has begun. Special Orders cannot be cancelled after order is placed.
5. **Orders:** It is strongly recommended that all orders are made by facsimile, mail, or hand delivery. You are responsible for any errors resulting from verbal orders. If a verbal order is confirmed in writing, you must write "CONFIRMATION - DO NOT DUPLICATE" on the confirmation or you will be responsible for the duplicates order.
6. **Shipping:** Shipment by common carrier is "freight collect," or you may arrange to pick up materials at our plant. The risk of loss of the products shall pass to you (the buyer), as soon as the goods are loaded on the carrier. Any damage claims must be submitted to the carrier. You are responsible for off-loading delivered materials. Summit Pacific Metal Sales will provide material handling information upon request; special handling will be needed for long length panels. Although every effort is made to meet requested shipping dates, Summit Pacific Metal Sales assumes no responsibility for damages or losses of any kind sustained by customer because of our unforeseen inability to meet a specific shipping date.
7. **Shortages:** Order shortages or discrepancies must be noted on the Packing Slip at the time of delivery. If there are shortages or discrepancies not evident at the time of delivery, it must be reported within five (5) days from the date of delivery and be accompanied with the packing slip.
8. **Delays:** If you request that we delay the shipping of your order, you will be invoiced for these materials. You will pay the invoice per stated terms, pay storage charges, if any, and assume all responsibility for damages while materials are in storage.
9. **Returns:** Returns will only be allowed within thirty (30) days after purchase, and only with prior written authorization. Only certain items may be returned: shelf items such as screws, paint, and rolled goods, and only if they are in undamaged, re-sellable condition. Panels and trim components cannot be returned. Authorized returns are subject to a 20% re-stocking charge.
10. **Warranty:** We warrant that the product be free from defects in material and workmanship for a period of sixty (60) days from the date of shipment. This warranty is conditioned upon proper use, handling, and application of the materials. We will not warrant products that have been modified without our written consent, or products improperly used or applied. You must notify us during the warranty period of any defects and allow reasonable time to inspect and remedy the product. If we determine that the products are defective, we will replace or repair them. If replacement or repair is not practical, we may, at our option, refund the original purchase price for the defective material. **THIS IS YOUR ONLY REMEDY FOR DEFECTIVE GOODS.**
11. **Limitation of Liability:** We will not be liable to any person or entity for any incidental or consequential damages, including lost profits, lost use of the material, or liquidated damages. We will not be liable to any person or entity for claims for personal injury or property damage. Our total liability for any and all claims shall not exceed the purchase price paid.

THERE ARE NO OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE WHICH EXTEND BEYOND THE ABOVE TERMS.

12. **Attorneys Fees:** In the event that a dispute arises between you (the buyer) and Summit Pacific Metal Sales, the prevailing party shall be entitled to attorney's fees and costs.
13. **Applicable Law:** The construction and performance of this contract shall be governed by the laws of the State of California.







Summit Pacific Metal Sales

Perma-Lock Ordering Guide

Part #	Profile	Description
8		<i>Perma-Lock Standing Seam Roofing Panels</i> (Cut to length: specify quantities and lengths)
9		Flat Stock 41.5" x 120"
10		Flat Stock 20.5" x 120"
20		Termination Strip
22		"Z" Closure
27		"W" Valley







Note: These part numbers **14** indicate immediate availability.

Perma-Lock Ordering Guide

Part #	Profile	Description
30		Elbow Roof Transition, Std. (Use with #919 joggle, #22 "Z" closure) (Specify BOTH roof slopes)
31		Elbow Roof Transition, Oversized (Use with #919 joggle, #22 "Z" closure) (Specify BOTH roof slopes)
32		Knee Roof Transition, Std. (Use with #919 joggle, #22 "Z" closure) (Specify BOTH roof slopes)
33		Knee Roof Transition, Oversized (Use with #22 "Z" closure) (Specify BOTH roof slopes)
36		Skylight Top Saddle (Use with #919 joggle)
37		Chimney Top Saddle (Use with #919 joggle) (Specify roof slope)







Note: These part numbers **14** indicate immediate availability.

Perma-Lock Ordering Guide

Part #	Profile	Description
40		<p>Standard 2" Eave</p> <p><i>(Specify roof slope)</i></p>
41		<p>3" Eave</p> <p><i>(Specify roof slope)</i></p>
42		<p>4" Eave</p> <p><i>(Specify roof slope)</i></p>
44		<p>Std. 2" Eave Trim w/ Hook</p> <p><i>(Specify roof slope)</i></p>
45		<p>3" Eave Trim w/ Hook</p> <p><i>(Specify roof slope)</i></p>
46		<p>4" Eave Trim w/ Hook</p> <p><i>(Specify roof slope)</i></p>










Note: These part numbers **14** indicate immediate availability.

Perma-Lock Ordering Guide

Part #	Profile	Description
47		2" Drip Eave (Specify roof slope)
48		3" Drip Eave (Specify roof slope)
49		4" Drip Eave (Specify roof slope)
50		2" Gable Trim (Use with #20 termination strip)
51		3" Gable Trim (Use with #20 termination strip)
52		4" Gable Trim (Use with #20 termination strip)









Note: These part numbers 14 indicate immediate availability.

Perma-Lock Ordering Guide








Part #	Profile	Description
60		Old-Style Gable 3" Vertical, 3" Across
61		Old-Style Gable 4" Vertical, 3" Across
62		Old-Style Gable 3" Vertical, 4-1/2" Across
63		Old-Style Gable 4" Vertical, 4-1/2" Across
72		"Z" Sidewall 3" Across
73		"Z" Sidewall 4-1/2" Across
75		"L" Metal with No Hook (Use with termination strip)
76		"L" Metal with Hem
77		"L" Metal with Hook (Use with termination strip)

Note: These part numbers **14** indicate immediate availability.

Perma-Lock Ordering Guide

Part #	Profile	Description
80		Endwall, Std. (Use with #22 "Z" closure) (Specify roof slope)
81		Vented Endwall (Use with #918 vent strip and #22 "Z" closure) (Specify roof slope)
84		Nosing, Std. 4" Vertical (Use with #22 "Z" closure) (Specify roof slope)
85		Nosing, Std. 5" Vertical (Use with #22 "Z" closure) (Specify roof slope)
86		Vented Nosing 5" Vertical (Use with #918 vent strip and #22 "Z" closure) (Specify roof slope)
87		Vented Nosing 6" Vertical (Use with #918 vent strip and #22 "Z" closure) (Specify roof slope)
90		Std. Ridge / Hip Cap (Use with #22 "Z" closure) (Specify roof slope)
91		Vented Ridge / Hip Cap (Use with #918 vent strip and #22 "Z" closure) (Specify roof slope)
Note: These part numbers 14 indicate immediate availability.		

Perma-Lock Ordering Guide






Part #	Profile	Description
911		Panel Head Bender Tool
912		Eave / Valley Bender Tool
918		1" x 3" Vent Strip 50' Roll
919		20 Ga. Joggle Cleat (Bare 20 Ga. Galvanized)
923		Latex Paint (1 Qt.) (See Instructions)
926		Butyl Mastic Tape 3/32" x 1/2" x 50'
925		32" Polyethylene Closures

Note: These part numbers

14

indicate immediate availability.

Perma-Lock Ordering Guide

Description	Part #	Size
Panel Screws Phillips Pancake Head 	8 C 10	1" #10-12 x 1"
	8C20	2" #10-12 x 2"
	8C10SS	1" #10-12 x 1" Stainless Steel
Woodgrip Screws (Painted to match) 	8 W 10	#10-12 x 1"
	8 W 15	#10-12 x 1-1/2"
	8 W 20	#10-12 x 2"
	8 W 25 8 W 30	#10-12 x 2-1/2" #10-12 x 3"
Head Screws 	8 H 15 (Bare)	#14 x 1-1/2"
Stitch Screws 	8 S	#12 x 3/4"
Pop Rivets 	8 R	1/8" x 1/8" Steel